

## STUDY GUIDE

# 13: Treatment of Psychological Disorders

### UNIT OVERVIEW

Unit 13 discusses the major psychotherapies and biomedical therapies for maladaptive behaviors. The various psychotherapies all derive from the personality theories discussed earlier, namely, the psychoanalytic, humanistic, behavioral, and cognitive theories. The unit groups the therapies by perspective but also emphasizes the common threads that run through them. In evaluating the therapies, the unit points out that, although people who are untreated often improve, those receiving psychotherapy tend to improve somewhat more, regardless of the type of therapy they receive. This section also includes a discussion of several popular alternative therapies.

The biomedical therapies discussed are drug therapies, electroconvulsive therapy and other forms of brain stimulation, and psychosurgery, which is seldom used. By

far the most important of these, drug therapies are being used in the treatment of psychotic, anxiety, and mood disorders.

Because the origins of problems often lie beyond the individual, the unit concludes with approaches that aim at preventing psychological disorders by focusing on the family or on the larger social environment as possible contributors to psychological disorders.

### UNIT REVIEW

First, skim each section, noting headings and boldface items. After you have read the section, review each objective by answering the fill-in and essay-type questions that follow it. As you proceed, evaluate your performance by consulting the answers. Do not continue with the next section until you understand each answer. If you need to, review or reread the section in the textbook before continuing.

### Introducing Treatment of Psychological Disorders (pp. 605-606)

Objective 1: Discuss how psychotherapy, biomedical therapy, and an eclectic approach to therapy differ.

1. Mental health therapies are classified as either \_\_\_\_\_ therapies or \_\_\_\_\_ therapies.
2. Psychological therapy is more commonly called \_\_\_\_\_. This type of therapy is appropriate for disorders that are \_\_\_\_\_.
3. Biomedical therapies include the use of \_\_\_\_\_ and medical procedures that act directly on the patient's \_\_\_\_\_.
4. Some therapists blend several psychotherapy techniques and so are said to take an \_\_\_\_\_ approach. Closely related to this approach is \_\_\_\_\_, which attempts to combine methods into a single, coherent system.

### The Psychological Therapies (pp. 606-618)

Objective 2: Define psychoanalysis, and discuss the aims, methods, and criticisms of this form of therapy.

1. The goal of Freud's psychoanalysis, which is based on his personality theory, is to help the patient gain \_\_\_\_\_.
2. Freud assumed that many psychological problems originate in childhood impulses and conflicts that have been \_\_\_\_\_.
3. Psychoanalysts attempt to bring \_\_\_\_\_ feelings into \_\_\_\_\_ awareness where they can be dealt with.

4. Freud's technique in which a patient says whatever comes to mind is called \_\_\_\_\_ .
5. When, in the course of therapy, a person omits shameful or embarrassing material, \_\_\_\_\_ is occurring. Insight is facilitated by the analyst's \_\_\_\_\_ of the meaning of such omissions, of dreams, and of other information revealed during therapy sessions.
6. Freud referred to the hidden meaning of a dream as its \_\_\_\_\_ .
7. When strong feelings, similar to those experienced in other important relationships, are developed toward the therapist, \_\_\_\_\_ has occurred.
8. Critics point out that psychoanalysts' interpretations are hard to \_\_\_\_\_ and that therapy takes a long time and is very \_\_\_\_\_ .

Objective 3: Contrast psychodynamic therapy and interpersonal therapy with traditional psychoanalysis.

9. Therapists who are influenced by Freud's psychoanalysis but who talk to the patient face to face are therapists. In addition, they work with patients only \_\_\_\_\_ (how long?) and for only a few weeks or months. These therapists focus on \_\_\_\_\_ across important relationships.
10. A brief alternative to psychodynamic therapy that has proven effective with \_\_\_\_\_ patients is \_\_\_\_\_ .
11. While this approach aims to help people gain \_\_\_\_\_ into the roots of their difficulties, it focuses on \_\_\_\_\_ rather than on past hurts.

Objective 4: Identify the basic characteristics of the humanistic therapies, and describe the specific goals and techniques of Carl Rogers' client-centered therapy.

12. Humanistic therapies attempt to help people meet their potential for \_\_\_\_\_ .  
List several ways that humanistic therapy differs from psychoanalysis.
13. The humanistic therapy based on Rogers' theory is called \_\_\_\_\_ - \_\_\_\_\_ therapy, which is described as \_\_\_\_\_ therapy because the therapist (interprets/does not interpret) the person's problems.
14. To promote growth in clients, Rogerian therapists exhibit \_\_\_\_\_ , \_\_\_\_\_ , and \_\_\_\_\_ .
15. Rogers' technique of restating and clarifying what a person is saying is called \_\_\_\_\_ . Given a nonjudgmental environment that provides \_\_\_\_\_ , patients are better able to accept themselves as they are and to feel valued and whole.
16. Three tips for listening more actively in your own relationships are to \_\_\_\_\_ , \_\_\_\_\_ , and \_\_\_\_\_ .

Objective 5: Explain how the basic assumption of behavior therapy differs from those of traditional psychoanalytic and humanistic therapies, and describe the techniques used in exposure therapies and aversive conditioning.

17. Behavior therapy applies principles of \_\_\_\_\_ to eliminate troubling behaviors.

Contrast the assumptions of the behavior therapies with those of psychoanalysis and humanistic therapy.

18. One cluster of behavior therapies is based on the principles of \_\_\_\_\_, as developed in Pavlov's experiments. This technique, in which a new, incompatible response is substituted for a maladaptive one, is called \_\_\_\_\_. Two examples of this technique are \_\_\_\_\_ and \_\_\_\_\_.

19. One widely used technique of behavior therapy is the \_\_\_\_\_. The technique of systematic desensitization has been most fully developed by the therapist \_\_\_\_\_. The assumption behind this technique is that one cannot simultaneously be \_\_\_\_\_ and relaxed.

20. The first step in systematic desensitization is the construction of a \_\_\_\_\_ of anxiety-arousing stimuli. The second step involves training in \_\_\_\_\_. In the final step, the person is trained to associate the \_\_\_\_\_ state with the \_\_\_\_\_ - arousing stimuli.

21. For those who are unable to visually imagine an anxiety-arousing situation, or too afraid or embarrassed to do so, \_\_\_\_\_ therapy offers a promising alternative.

22. In aversive conditioning, the therapist attempts to substitute a (positive/ negative) response for one that is currently (positive/negative) to a harmful stimulus. In this technique, a person's unwanted behaviors become associated with \_\_\_\_\_ feelings. In the long run, aversive conditioning (does/does not) work.

Objective 6: State the main premise of therapy based on operant conditioning principles, and describe the views of proponents and critics of behavior modification.

23. Reinforcing desired behaviors and withholding reinforcement for undesired behaviors are key aspects of \_\_\_\_\_.

24. Therapies that influence behavior by controlling its consequences are based on principles of \_\_\_\_\_ conditioning. One application of this form of therapy to institutional settings is the \_\_\_\_\_, in which desired behaviors are rewarded.

State two criticisms of behavior modification.

State some responses of proponents of behavior modification.

Objective 7: Contrast cognitive therapy and cognitive-behavioral therapy/ and give some examples of cognitive therapy for depression.

25. Therapists who teach people new, more constructive ways of thinking are using \_\_\_\_\_ therapy.

26. One variety of cognitive therapy attempts to reverse the \_\_\_\_\_ beliefs often associated with \_\_\_\_\_ by helping clients see their irrationalities. This therapy was developed by \_\_\_\_\_ .
27. Training people to restructure their thinking in stressful situations is the goal of \_\_\_\_\_ training. Students trained to \_\_\_\_\_ their negative thoughts are less likely to experience future depression.
28. Treatment that combines an attack on negative thinking with efforts to modify behavior is known as \_\_\_\_\_ therapy.

Objective 8: Discuss the rationale and benefits of group therapy, including family therapy.

List several advantages of group therapy.

29. The type of group interaction that focuses on the fact that we live and grow in relation to others is \_\_\_\_\_ .
30. In this type of group, therapists focus on improving \_\_\_\_\_ within the family.

### Evaluating Psychotherapies (pp. 619-628)

Objective 9: Explain why clients and clinicians tend to overestimate the effectiveness of psychotherapy, and describe two phenomena that contribute to clients' and clinicians' misperceptions in this area.

1. In contrast to earlier times, most therapy today (is/is not) provided by psychiatrists.
  2. A majority of psychotherapy clients express (satisfaction/ dissatisfaction) with their therapy.
- Give three reasons that client testimonials are not persuasive evidence for psychotherapy's effectiveness.

3. Clinicians tend to (overestimate/underestimate) the effectiveness of psychotherapy.
4. One reason clinicians' perceptions of the effectiveness of psychotherapy are inaccurate is that clients justify entering therapy by emphasizing their \_\_\_\_\_ and justify leaving therapy by emphasizing their \_\_\_\_\_ .
5. (Thinking Critically) Clients' and therapists' perceptions of therapy's effectiveness may be inflated by their \_\_\_\_\_ that a treatment works. This phenomenon is called the \_\_\_\_\_ . Another phenomenon that may inflate their perceptions of therapy's effectiveness is the phenomenon called \_\_\_\_\_ , which is the tendency for \_\_\_\_\_ events or emotions to return to their \_\_\_\_\_ state.

Objective 10: Discuss some of the findings of outcome studies in judging the effectiveness of psychotherapies, and describe which psychotherapies are most effective for specific disorders.

6. In hopes of better assessing psychotherapy's effectiveness, psychologists have turned to \_\_\_\_\_ research studies.

7. The debate over the effectiveness of psychotherapy began with a study by \_\_\_\_\_, it showed that the rate of improvement for those who received therapy (was/was not) higher than the rate for those who did not.
8. In the best studies of the effectiveness of therapy, researchers randomly assign people on a waiting list to therapy or no therapy and later evaluate everyone. These are \_\_\_\_\_ trials.
9. A statistical technique that makes it possible to combine the results of many different psychotherapy outcome studies is called \_\_\_\_\_. Overall, the results of such analyses indicate that psychotherapy is (somewhat effective/ ineffective) .
10. Comparisons of the effectiveness of different forms of therapy reveal (clear/no clear) differences, that the type of therapy provider (matters greatly/does not matter), and that whether therapy is provided by an individual therapist or within a group (makes a difference/ does not make a difference).
11. With phobias, compulsions, and other specific behavior problems, \_\_\_\_\_ therapies have been the most effective. Other studies have demonstrated that depression may be effectively treated with \_\_\_\_\_ therapy. As a rule, psychotherapy is most effective with problems that are (specific/nonspecific).
12. Therapies that are not supported by scientific evidence should be avoided. These include \_\_\_\_\_, and \_\_\_\_\_ therapies, as well as \_\_\_\_\_ and \_\_\_\_\_.
13. Clinical decision making that integrates research with clinical expertise and patient preferences is called \_\_\_\_\_.

Objective 11: Evaluate the effectiveness of eye movement desensitization and reprocessing (EMDR) and light exposure therapies.

14. Today, many forms of \_\_\_\_\_ are touted as effective treatments for a variety of complaints.
15. Aside from testimonials, there is very little evidence based on \_\_\_\_\_ research for such therapies.
16. In one popular alternative therapy, a therapist triggers eye movements in patients while they imagine \_\_\_\_\_. This therapy, called \_\_\_\_\_, has proven (completely ineffective/somewhat effective) as a treatment for nonmilitary \_\_\_\_\_. However, skeptics point to evidence that \_\_\_\_\_ is just as effective as triggered eye movements in producing beneficial results. The key seems to be in the person's \_\_\_\_\_ traumatic memories and in a \_\_\_\_\_ effect.
17. For people who suffer from the wintertime form of depression called \_\_\_\_\_, timed \_\_\_\_\_ therapy may be beneficial.

Objective 12: Describe the three benefits attributed to all psychotherapies.

18. All forms of psychotherapy offer three benefits: \_\_\_\_\_ for demoralized people; a new \_\_\_\_\_ on oneself; and a relationship that is \_\_\_\_\_, \_\_\_\_\_, and \_\_\_\_\_.

19. The emotional bond between therapist and client – the \_\_\_\_\_ – is a key aspect of effective therapy. In one study of depression treatment, the most effective therapists were those who were perceived as most \_\_\_\_\_ and \_\_\_\_\_ .

Objective 13: Discuss the-role of values and cultural differences in the therapeutic process, and identify some guidelines for selecting a therapist.

20. Generally speaking, psychotherapists' personal values (do/do not) influence their therapy. This is particularly significant when the therapist and client are from different \_\_\_\_\_. Another area of potential value conflict is \_\_\_\_\_ .

21. In North America, Europe, and Australia, most therapists reflect their culture's \_\_\_\_\_ .

22. Differences in values may help explain the reluctance of some \_\_\_\_\_ populations to use mental health services.

23. (Close-Up) The American Psychological Association suggests that a person should seek help when he or she has feelings of \_\_\_\_\_ , a deep and lasting \_\_\_\_\_ , disruptive \_\_\_\_\_ , sudden \_\_\_\_\_ shifts, and \_\_\_\_\_ rituals, for example.

### The Biomedical Therapies (pp. 628-637)

Objective 14: Define psychopharmacology, and explain how double-blind studies help researchers evaluate a drug's effectiveness.

1. As noted earlier, therapy involving changing the brain's functioning is referred to as \_\_\_\_\_ therapy. The most widely used biomedical treatments are the \_\_\_\_\_ therapies. Thanks to these therapies, the number of residents in mental hospitals has (increased/ decreased) sharply.

2. The field that studies the effects of drugs on the mind and behavior is \_\_\_\_\_ .

3. To guard against the \_\_\_\_\_ effect and normal \_\_\_\_\_ , neither the patients nor the staff involved in a study may be aware of which condition a given individual is in; this is called a \_\_\_\_\_ - \_\_\_\_\_ .

Objective 15: Describe the characteristics of antipsychotic, antianxiety, antidepressant, and mood-stabilizing drugs, and discuss their use in treating psychological disorders.

4. One effect of \_\_\_\_\_ drugs such as \_\_\_\_\_ is to help those experiencing (positive/negative) symptoms of schizophrenia by decreasing their responsiveness to irrelevant stimuli. Schizophrenia patients who are apathetic and withdrawn may be more effectively treated with atypical antipsychotics such as \_\_\_\_\_ .

5. The antipsychotic drugs work by blocking the receptor sites for the neurotransmitter \_\_\_\_\_. The atypical antipsychotics also target \_\_\_\_\_ receptors.

6. Long-term use of antipsychotic drugs can produce \_\_\_\_\_ , which involves involuntary movements of the muscles of the \_\_\_\_\_ , \_\_\_\_\_ , and \_\_\_\_\_ .

7. Xanax and Ativan are classified as \_\_\_\_\_ drugs.

8. These drugs depress activity in the \_\_\_\_\_ .
9. When used in combination with \_\_\_\_\_ , these drugs can help people cope with frightening situations.
10. Antianxiety drugs have been criticized for merely reducing \_\_\_\_\_ ; rather than resolving underlying \_\_\_\_\_ . These drugs can also cause \_\_\_\_\_ .
11. Drugs that are prescribed to alleviate depression are called \_\_\_\_\_ drugs. They are increasingly being used to treat \_\_\_\_\_ disorders. These drugs work by increasing levels of the neurotransmitters \_\_\_\_\_ or \_\_\_\_\_ .
12. One example of this type of drug is \_\_\_\_\_ , which works by blocking the reabsorption and removal of \_\_\_\_\_ from synapses and is therefore called a \_\_\_\_\_ - \_\_\_\_\_ drug. Increased serotonin promotes \_\_\_\_\_ , the development of new brain cells.
13. Equally effective in calming anxious people and energizing depressed people is \_\_\_\_\_ which has positive side effects. Even better is to use drugs, which work (bottom-up / top-down), in conjunction with therapy, which works (bottom-up / top-down).
14. Although people with depression often improve after one month on antidepressants, studies demonstrate that a large percentage of the effectiveness is due to \_\_\_\_\_ or a \_\_\_\_\_ .
15. To stabilize the mood swings of a bipolar disorder, the simple salt \_\_\_\_\_ is often prescribed.
16. Another effective drug in the control of mania was originally used to treat epilepsy; it is \_\_\_\_\_ .

Objective 16: Describe the use of brain stimulation techniques and psychosurgery in treating specific disorders.

17. The therapeutic technique in which the patient receives an electric shock to the brain is referred to as \_\_\_\_\_ therapy, abbreviated as \_\_\_\_\_ .
18. ECT is most often used with patients suffering from severe \_\_\_\_\_ . Research evidence (confirms/does not confirm) ECT's effectiveness with such patients.
19. The mechanism by which ECT works is \_\_\_\_\_ .
20. A gentler alternative is a chest \_\_\_\_\_ that intermittently stimulates the \_\_\_\_\_ nerve.
21. Another gentler procedure called \_\_\_\_\_ aims to treat depression by presenting pulses through a magnetic coil held close to a person's skull above the right eyebrow. Unlike ECT, this procedure produces no \_\_\_\_\_ loss, or other side effects. This procedure may work by energizing the brain's left \_\_\_\_\_ which is relatively inactive in depressed patients.
22. The biomedical therapy in which a portion of brain tissue is removed or destroyed is called \_\_\_\_\_ .
23. In the 1930s, Moniz developed an operation called the \_\_\_\_\_ . In this procedure, the \_\_\_\_\_ lobe of the brain is disconnected from the rest of the brain.

24. Today, most psychosurgery has been replaced by the use of \_\_\_\_\_ or some other form of treatment.

Objective 17: Explain how therapeutic life-style change reflects the idea that humans are integrated biopsychosocial systems.

25. A recent approach to therapy promotes \_\_\_\_\_ - \_\_\_\_\_ change, which includes regular aerobic exercise, adequate sleep, light exposure, social connection, anti-rumination, and nutritional supplementation.

26. The relative success of this \_\_\_\_\_ approach seems to confirm that everything psychological is also biological and that we are all social creatures.

### Preventing Psychological Disorders (pp. 637-638)

Objective 18: Explain the rationale of preventive mental health programs.

1. Faced with unforeseen trauma, most adults exhibit \_\_\_\_\_ .
2. Psychotherapies and biomedical therapies locate the cause of psychological disorders within the \_\_\_\_\_ . An alternative viewpoint is that many psychological disorders are responses to \_\_\_\_\_ .
3. According to this viewpoint, it is not just the \_\_\_\_\_ who needs treatment but also the person's \_\_\_\_\_ .
4. One advocate of \_\_\_\_\_ mental health, George Albee, believes that many social stresses undermine people's sense of \_\_\_\_\_ , \_\_\_\_\_ , \_\_\_\_\_ , and \_\_\_\_\_ . These stresses include \_\_\_\_\_ work that is \_\_\_\_\_ , constant \_\_\_\_\_ , \_\_\_\_\_ , \_\_\_\_\_ , and \_\_\_\_\_ .
5. Albee's views remind us that disorders are not just biological and not just environmental or psychological because we are all an \_\_\_\_\_ system.

### PROGRESS TEST 1

#### Multiple-Choice Questions

Circle your answers to the following questions and check them with the answers. If your answer is incorrect, read the explanation for why it is incorrect and then consult the appropriate pages of the text (in parentheses following the correct answer).

1. Electroconvulsive therapy is most useful in the treatment of
  - a. schizophrenia.
  - b. depression.
  - c. personality disorders.
  - d. anxiety disorders.
2. The technique in which a person is asked to report everything that comes to his or her mind is called \_\_\_\_\_ ; it is favored by \_\_\_\_\_ therapists.
  - a. active listening; cognitive
  - b. spontaneous remission; humanistic
  - c. free association; psychoanalytic
  - d. systematic desensitization; behavior
3. Of the following categories of psychotherapy, which is known for its nondirective nature?
  - a. psychoanalysis
  - b. humanistic therapy
  - c. behavior therapy
  - d. cognitive therapy
4. Which of the following is NOT a common criticism of psychoanalysis?
  - a. It emphasizes the existence of repressed memories.
  - b. It provides interpretations that are hard to disprove.
  - c. It is generally a very expensive process.
  - d. It gives therapists too much control over patients.

5. Which of the following types of therapy does NOT belong with the others?
  - a. cognitive therapy
  - b. family therapy
  - c. behavior therapy
  - d. psychosurgery
6. Which of the following is NOT necessarily an advantage of group therapies over individual therapies?
  - a. They tend to take less time for the therapist.
  - b. They tend to cost less money for the client.
  - c. They are more effective.
  - d. They allow the client to test new behaviors in a social context.
7. Which biomedical therapy is MOST likely to be practiced today?
  - a. psychosurgery
  - b. electroconvulsive therapy
  - c. drug therapy
  - d. counterconditioning
8. The effectiveness of psychotherapy has been assessed both through clients' perspectives and through controlled research studies. What have such assessments found?
  - a. Clients' perceptions and controlled studies alike strongly affirm the effectiveness of psychotherapy.
  - b. Whereas clients' perceptions strongly affirm the effectiveness of psychotherapy, studies point to more modest results.
  - c. Whereas studies strongly affirm the effectiveness of psychotherapy, many clients feel dissatisfied with their progress.
  - d. Clients' perceptions and controlled studies alike paint a very mixed picture of the effectiveness of psychotherapy.
9. Cognitive-behavioral therapy aims to
  - a. alter the way people act.
  - b. make people more aware of their irrational negative thinking.
  - c. alter the way people think and act.
  - d. countercondition anxiety-provoking stimuli.
10. The results of outcome research on the effectiveness of different psychotherapies reveal that
  - a. no single type of therapy is consistently superior.
  - b. behavior therapies are most effective in treating specific problems, such as phobias.
  - c. cognitive therapies are most effective in treating depressed emotions.
  - d. all of these statements are true.
11. The antipsychotic drugs appear to produce their effects by blocking the receptor sites for
  - a. dopamine.
  - b. epinephrine.
  - c. norepinephrine.
  - d. serotonin.
12. Psychologists who advocate a \_\_\_ approach to mental health contend that many psychological disorders could be prevented by changing the disturbed individual's
  - a. biomedical; diet
  - b. family; behavior
  - c. humanistic; feelings
  - d. preventive; environment
13. An eclectic psychotherapist is one who
  - a. takes a nondirective approach in helping clients solve their problems.
  - b. views psychological disorders as usually stemming from one cause, such as a biological abnormality.
  - c. uses one particular technique, such as psychoanalysis or counterconditioning, in treating disorders.
  - d. uses a variety of techniques, depending on the client and the problem.
14. The technique in which a therapist echoes and restates what a person says in a nondirective manner is called
  - a. active listening.
  - b. free association.
  - c. systematic desensitization.
  - d. transference.

15. Unlike traditional psychoanalytic therapy, interpersonal psychotherapy
  - a. helps people gain insight into the roots of their problems.
  - b. offers interpretations of patients' feelings.
  - c. focuses on current relationships.
  - d. does all of these things.
16. The technique of systematic desensitization is based on the premise that maladaptive symptoms are
  - a. a reflection of irrational thinking.
  - b. conditioned responses.
  - c. expressions of unfulfilled wishes.
  - d. inner conflicts.
17. The operant conditioning technique in which desired behaviors are rewarded with points or poker chips that can later be exchanged for various rewards is called
  - a. counterconditioning.
  - b. systematic desensitization.
  - c. a token economy.
  - d. exposure therapy.
18. One variety of \_\_\_ therapy is based on the finding that depressed people often attribute their failures to \_\_\_
  - a. humanistic; themselves
  - b. behavior; external circumstances
  - c. cognitive; external circumstances
  - d. cognitive; themselves
19. A person can derive benefits from psychotherapy simply by believing in it. This illustrates the importance of
  - a. spontaneous recovery.
  - b. the placebo effect.
  - c. the transference effect.
  - d. interpretation.
20. Before 1950, the main mental health providers were
  - a. psychologists.
  - b. paraprofessionals.
  - c. psychiatrists.
  - d. the clergy.

### **Matching Items**

Match each term with the appropriate definition or description.

#### *Terms*

- \_\_\_ 1. cognitive therapy
- \_\_\_ 2. behavior therapy
- \_\_\_ 3. systematic desensitization
- \_\_\_ 4. cognitive-behavioral therapy
- \_\_\_ 5. client-centered therapy
- \_\_\_ 6. exposure therapy
- \_\_\_ 7. aversive conditioning
- \_\_\_ 8. psychoanalysis
- \_\_\_ 9. preventive mental health
- \_\_\_ 10. biomedical therapy
- \_\_\_ 11. counterconditioning
- \_\_\_ 12. insight therapy

#### *Definitions or Descriptions*

- a. associates unwanted behavior with unpleasant experiences
- b. associates a relaxed state with anxiety-arousing stimuli
- c. emphasizes the social context of psychological disorders
- d. integrated therapy that focuses on changing self
- e. category of therapies that teach people more adaptive ways of thinking and acting
- f. the most widely used method of behavior therapy
- g. therapy developed by Carl Rogers
- h. therapy based on Sigmund Freud's theory of personality
- i. treatment with psychosurgery, electroconvulsive therapy, or drugs
- j. classical conditioning procedure in which new responses are conditioned to stimuli that trigger unwanted behaviors
- k. category of therapies based on learning principles derived from classical and operant conditioning
- l. therapies that aim to increase the client's awareness of underlying motives and defenses

## **PROGRESS TEST 2**

Progress Test 2 should be completed during a final unit review. Answer the following questions after you thoroughly understand the correct answers for the section reviews and Progress Test 1.

## Multiple-Choice Questions

- Carl Rogers was a \_\_\_ therapist who was the creator of \_\_\_\_
  - behavior; systematic desensitization
  - psychoanalytic; insight therapy
  - humanistic; client-centered therapy
  - cognitive; cognitive therapy for depression
- Using techniques of classical conditioning to develop an association between unwanted behavior and an unpleasant experience is known as
- Which type of psychotherapy emphasizes the individual's inherent potential for self-fulfillment?
  - behavior therapy
  - psychoanalysis
  - humanistic therapy
  - biomedical therapy
- Light-exposure therapy has proven useful as a form of treatment for people suffering from
  - bulimia.
  - seasonal affective disorder.
  - schizophrenia.
  - dissociative identity disorder.
- Which type of psychotherapy focuses on changing unwanted behaviors rather than on discovering their underlying causes?
  - behavior therapy
  - cognitive therapy
  - humanistic therapy
  - psychoanalysis
- The techniques of counterconditioning are based on principles of
  - observational learning.
  - classical conditioning.
  - operant conditioning.
  - behavior modification.
- In which of the following does the client learn to associate a relaxed state with a hierarchy of anxiety-arousing situations?
  - cognitive therapy
  - aversive conditioning
  - counterconditioning
  - systematic desensitization
- Principles of operant conditioning underlie which of the following techniques?
  - counterconditioning
  - systematic desensitization
  - stress inoculation training
  - the token economy
- Which of these therapies emphasizes that we are all integrated biopsychosocial systems?
  - interpersonal psychotherapy
  - cognitive therapy
  - therapeutic life-style change
  - eye movement desensitization and reprocessing
- Which type of therapy focuses on eliminating irrational thinking?
  - EMDR
  - client-centered therapy
  - cognitive therapy
  - behavior therapy
- Antidepressant drugs are believed to work by affecting serotonin or
  - dopamine.
  - lithium.
  - norepinephrine.
  - acetylcholine.
- After many years of taking antipsychotic drugs, Greg's facial muscles sometimes twitch involuntarily. This behavior is called
  - tardive dyskinesia.
  - spontaneous recovery.
  - repetitive transcranial magnetic stimulation.
  - EMDR.
- Which of the following is the mood-stabilizing drug most commonly used to treat bipolar disorder?
  - Ativan
  - chlorpromazine
  - Xanax
  - lithium
- The type of drugs criticized for reducing symptoms without resolving underlying problems are the
  - antianxiety drugs.
  - antipsychotic drugs.
  - antidepressant drugs.
  - amphetamines.
- Which form of therapy is most likely to be successful in treating depression?
  - behavior modification
  - psychoanalysis
  - cognitive therapy
  - humanistic therapy
- Although Moniz won the Nobel Prize for developing the lobotomy procedure, the technique is not widely used today because
  - it produces a lethargic, immature personality.
  - it is irreversible.
  - calming drugs became available in the 1950s.
  - of all of these reasons.
- Unusual emotions tend to return to their average state. This phenomenon is called
  - regression toward the mean.
  - resistance.
  - counterconditioning.
  - systematic desensitization.
- Among the common ingredients of the psychotherapies is
  - the offer of a therapeutic relationship.
  - the expectation among clients that the therapy will prove helpful.
  - the chance to develop a fresh perspective on oneself and the world.
  - all of these are common ingredients.

19. Family therapy differs from other forms of psychotherapy because it focuses on
  - a. using a variety of treatment techniques.
  - b. conscious rather than unconscious processes.
  - c. the present instead of the past.
  - d. how family tensions may cause individual problems.
20. One reason that aversive conditioning may only be temporarily effective is that
  - a. for ethical reasons, therapists cannot use sufficiently intense unconditioned stimuli to sustain classical conditioning.
  - b. patients are often unable to become sufficiently relaxed for conditioning to take place.
  - c. patients know that outside the therapist's office they can engage in the undesirable behavior without fear of aversive consequences.
  - d. most conditioned responses are elicited by many nonspecific stimuli and it is impossible to countercondition them all.

### **Matching Items**

Match each term with the appropriate definition or description.

#### **Terms**

- \_\_\_ 1. active listening
- \_\_\_ 2. token economy
- \_\_\_ 3. placebo effect
- \_\_\_ 4. lobotomy
- \_\_\_ 5. lithium
- \_\_\_ 6. psychopharmacology
- \_\_\_ 7. double-blind procedure
- \_\_\_ 8. Xanax
- \_\_\_ 9. free association
- \_\_\_ 10. stress inoculation training
- \_\_\_ 11. evidence-based practice
- \_\_\_ 12. regression toward the mean
- \_\_\_ 13. meta-analysis

#### **Definitions or Descriptions**

- a. type of psychosurgery
- b. mood-stabilizing drug
- c. clinical decision making that integrates research, clinical expertise, and patient characteristics
- d. empathic technique used in person-centered therapy
- e. the beneficial effect of a person's expecting that treatment will be effective
- f. antianxiety drug
- g. the tendency for unusual emotions to return toward their average state
- h. technique of psychoanalytic therapy
- i. an operant conditioning procedure
- j. the study of the effects of drugs on the mind and behavior
- k. a procedure for statistically combining the results of many research studies
- l. experimental procedure in which both the patient and staff are unaware of a patient's treatment condition
- m. cognitive-behavior therapy in which people are trained to restructure their thinking in stressful situations

## **PSYCHOLOGY APPLIED**

Answer these questions the day before a test as a final check on your understanding of the unit's terms and concepts.

### **Multiple-Choice Questions**

1. During a session with his psychoanalyst, Jamal hesitates while describing a highly embarrassing thought. In the psychoanalytic framework, this is an example of
  - a. transference.
  - b. insight.
  - c. mental repression.
  - d. resistance.
2. During psychoanalysis, Jane has developed strong feelings of hatred for her therapist. The analyst interprets Jane's behavior in terms of a \_\_\_ of her feelings toward her father.
  - a. projection
  - b. regression
  - c. resistance

- d. transference
3. Given that Jim's therapist attempts to help him by offering genuineness, acceptance, and empathy, she is probably practicing
- psychoanalysis.
  - behavior therapy.
  - cognitive therapy.
  - client-centered therapy.
4. To help Sam quit smoking, his therapist blew a blast of smoke into Sam's face each time Sam inhaled. Which technique is the therapist using?
- exposure therapy
  - behavior modification
  - systematic desensitization
  - aversive conditioning
5. After Darnel dropped a pass in an important football game, he became depressed and vowed to quit the team because of his athletic incompetence. The campus psychologist used gentle questioning to reveal to Darnel that his thinking was irrational: His "incompetence" had earned him an athletic scholarship. The psychologist's response was most typical of a therapist.
- behavior
  - psychoanalytic
  - client-centered
  - cognitive
6. Seth enters therapy to talk about some issues that have been upsetting him. The therapist prescribes some medication to help him. The therapist is MOST likely a
- clinical psychologist.
  - psychiatrist.
  - psychiatric social worker.
  - clinical social worker.
7. In an experiment testing the effects of a new antipsychotic drug, neither Dr. Cunningham nor her patients know whether the patients are in the experimental or the control group. This is an example of
- meta-analysis.
  - within-subjects research.
  - the double-blind technique.
  - the single-blind technique.
8. A close friend who for years has suffered from wintertime depression is seeking your advice regarding the effectiveness of light-exposure therapy. What should you tell your friend?
- "Don't waste your time and money. It doesn't work."
  - "A more effective treatment for seasonal affective disorder is eye movement desensitization and reprocessing."
  - "you'd be better off with a prescription for lithium."
  - "It might be worth a try. There is some evidence that morning light exposure produces relief."
9. A relative wants to know which type of therapy works best. You should tell your relative that
- psychotherapy does not work.
  - behavior therapy is the most effective.
  - cognitive therapy is the most effective.
  - no one type of therapy is consistently the most successful.

10. Leota is startled when her therapist says that she needs to focus on eliminating her problem behavior rather than gaining insight into its underlying cause. Most likely, Leota has consulted a \_\_\_ therapist.
  - a. behavior
  - b. humanistic
  - c. cognitive
  - d. psychoanalytic
11. To help him overcome his fear of flying, Duane's therapist has him construct a hierarchy of anxiety-triggering stimuli and then learn to associate each with a state of deep relaxation. Duane's therapist is using the technique called
  - a. systematic desensitization.
  - b. aversive conditioning.
  - c. shaping.
  - d. free association.
12. A patient in a hospital receives poker chips for making her bed, being punctual at meal times, and maintaining her physical appearance. The poker chips can be exchanged for privileges, such as television viewing, snacks, and magazines. This is an example of the
  - a. psychodynamic therapy technique called systematic desensitization.
  - b. behavior therapy technique called token economy.
  - c. cognitive therapy technique called token economy.
  - d. humanistic therapy technique called systematic desensitization.
13. Ben is a cognitive-behavioral therapist. Compared with Rachel, who is a behavior therapist, Ben is more likely to
  - a. base his therapy on principles of operant conditioning.
  - b. base his therapy on principles of classical conditioning.
  - c. address clients' attitudes as well as behaviors.
  - d. focus on clients' unconscious urges.
14. A psychotherapist who believes that the best way to treat psychological disorders is to prevent them from developing would be MOST likely to view disordered behavior as
  - a. maladaptive thoughts and actions.
  - b. expressions of unconscious conflicts.
  - c. conditioned responses.
  - d. an understandable response to stressful social conditions.
15. Linda's doctor prescribes medication that blocks the activity of dopamine in her nervous system. Evidently, Linda is being treated with an \_\_\_ drug.
  - a. antipsychotic
  - b. antianxiety
  - c. antidepressant
  - d. anticonvulsive
16. Abraham's doctor prescribes medication that increases the availability of norepinephrine or serotonin in his nervous system. Evidently, Abraham is being treated with an drug.
  - a. antipsychotic
  - b. mood-stabilizing
  - c. antidepressant
  - d. anticonvulsive
17. In concluding her talk titled "Psychosurgery Today," Ashley states that
  - a. "Psychosurgery is still widely used throughout the world."
  - b. "Electroconvulsive therapy is the only remaining psychosurgical technique that is widely practiced."
  - c. "With advances in psychopharmacology, psychosurgery has largely been abandoned."
  - d. "Although lobotomies remain popular, other psychosurgical techniques have been abandoned."
18. A psychiatrist has diagnosed a patient as having bipolar disorder. It is likely that she will prescribe
  - a. an antipsychotic drug.
  - b. lithium.
  - c. an antianxiety drug.
  - d. a drug that blocks receptor sites for serotonin.

19. Which type of psychotherapy would be most likely to use the interpretation of dreams as a technique for bringing unconscious feelings into awareness?
  - a. client-centered therapy
  - b. psychodynamic therapy
  - c. cognitive therapy
  - d. behavior therapy
20. Of the following therapists, who would be most likely to interpret a person's psychological problems in terms of repressed impulses?
  - a. a behavior therapist
  - b. a cognitive therapist
  - c. a humanistic therapist
  - d. a psychoanalyst

### *Essay Question*

Willie has been diagnosed as suffering from major depressive disorder. Describe the treatment he might receive from a psychoanalyst, a cognitive therapist, and a biomedical therapist. (Use the space below to list points you want to make, and organize them. Then write the essay on a separate sheet of paper.)

### **KEY TERMS**

Using your own words, on a separate piece of paper write a brief definition or explanation of each of the following terms.

1. eclectic approach
2. psychotherapy
3. psychoanalysis
4. resistance
5. interpretation
6. transference
7. psychodynamic therapy
8. insight therapies
9. client-centered therapy
10. active listening
11. unconditional positive regard
12. behavior therapy
13. counterconditioning
14. exposure therapies

15. systematic desensitization
16. virtual reality exposure therapy
17. aversive conditioning
18. token economy
19. cognitive therapy
20. cognitive-behavioral therapy
21. family therapy
22. regression toward the mean
23. meta-analysis
24. evidence-based practice
25. biomedical therapy
26. psychopharmacology
27. antipsychotic drugs
28. tardive dyskinesia
29. antianxiety drugs
30. antidepressant drugs
31. electroconvulsive therapy (ECT)
32. repetitive transcranial magnetic stimulation (rTMS)
33. psychosurgery
34. lobotomy
35. resilience